



ELSEVIER

Mechanisms of Development 53 (1995) 421-422



Volume contents

Volume 53 (1995)

Issue contents

**D.T. Kuhn, G. Turencchalk, J.A. Mack, G. Packert,
T.B. Kornberg**Analysis of the genes involved in organizing the tail segments of the *Drosophila melanogaster* embryo**M. Koga, Y. Ohshima***Drosophila* MAP kinase kinase suppresses the vulvaless phenotype of *lin-3*, *let-23* and *lin-45* mutations in *Caenorhabditis elegans***L. Bally-Cuif, B. Cholley, M. Wassef**Involvement of *Wnt-1* in the formation of the mes/metencephalic boundary**M.J. Reijnen, K.M. Hamer, J.L. den Blaauwen,****C. Lambrechts, I. Schoneveld, R. van Driel, A.P. Otte**
Polycomb and *bmi-1* homologs are expressed in overlapping patterns in *Xenopus* embryos and are able to interact with each other**A. Morrison, C. Chaudhuri, L. Ariza-McNaughton,****I. Muchamore, A. Kuroiwa, R. Krumlauf**Comparative analysis of chicken *Hoxb-4* regulation in transgenic mice**J. Luo, P. Pasceri, R.A. Conlon, J. Rossant,****V. Giguère**Mice lacking all isoforms of retinoic acid receptor β develop normally and are susceptible to the teratogenic effects of retinoic acid**I. Ahmad, P. Zagouras, S. Artavanis-Tsakonas**

Involvement of Notch-1 in mammalian retinal neurogenesis: association of Notch-1 activity with both immature and terminally differentiated cells

N. Iler, D.H. Rowitch, Y. Echelard, A.P. McMahon,**C. Abate-Shen**A single homeodomain binding site restricts spatial expression of *Wnt-1* in the developing brain**G. Couly, P. Coltey, A. Eichmann, N.M. Le Douarin**

The angiogenic potentials of the cephalic mesoderm and the origin of brain and head blood vessels

1	S. Tillib, Y. Sedkov, L. Mizrokhi, A. Mazo Conservation of structure and expression of the <i>trithorax</i> gene between <i>Drosophila virilis</i> and <i>Drosophila melanogaster</i>	113
3	D. LaJeunesse, A. Shearn Trans-regulation of thoracic homeotic selector genes of the Antennapedia and bithorax complexes by the trithorax group genes: <i>absent</i> , <i>small</i> , and <i>homeotic discs 1</i> and <i>2</i>	123
15		
23	J. Wismar, T. Löffler, N. Habtemichael, O. Vef, M. Geißen, R. Zirwes, W. Altmeier, H. Sass, E. Gateff The <i>Drosophila melanogaster</i> tumor suppressor gene <i>lethal(3)malignant brain tumor</i> encodes a proline-rich protein with a novel zinc finger	141
35		
47	A.-H. Monsoro-Burq, M. Bontoux, C. Vincent, N.M. Le Douarin The developmental relationships of the neural tube and the notochord: short and long term effects of the notochord on the dorsal spinal cord	157
61		
73	K.A. Fitzpatrick, S.M. Gorski, Z. Ursuliak, J.V. Price Expression of protein tyrosine phosphatase genes during oogenesis in <i>Drosophila melanogaster</i>	171
73	M.T. Saenz-Robles, F. Maschat, T. Tabata, M.P. Scott, T.B. Kornberg Selection and characterization of sequences with high affinity for the engrailed protein of <i>Drosophila</i>	185
87		
97	J. Simon, D. Bornemann, K. Lunde, C. Schwartz The <i>extra sex combs</i> product contains WD40 repeats and its time of action implies a role distinct from other <i>Polycomb</i> group products	197
97		
197	J.F. de Celis, A. Baonza, A. García-Bellido Behavior of <i>extramacrochaetae</i> mutant cells in the morphogenesis of the <i>Drosophila</i> wing	209
223		

E.A. Wimmer, M. Simpson-Brose, S.M. Cohen, C. Desplan, H. Jäckle Trans- and cis-acting requirements for blastodermal expression of the head gap gene <i>buttonhead</i>	235	K. Jagla, P. Dollé, M.-G. Mattei, T. Jagla, B. Schuhbaur, G. Dretzen, F. Bellard, M. Bellard Mouse <i>Lbx1</i> and human <i>LBX1</i> define a novel mammalian homeobox gene family related to the <i>Drosophila lady bird</i> genes	345
S. Sigrist, G. Ried, C.F. Lehner Dmcdc2 kinase is required for both meiotic divisions during <i>Drosophila</i> spermatogenesis and is activated by the Twine/cdc25 phosphatase	247	R. Williams, U. Lendahl, M. Lardelli Complementary and combinatorial patterns of <i>Notch</i> gene family expression during early mouse development	357
G.M. Kelly, D.F. Ereyilmaz, R.T. Moon Induction of a secondary embryonic axis in zebrafish occurs following the overexpression of β -catenin	261	G. Dehni, Y. Liu, J. Husain, S. Stifani <i>TLE</i> expression correlates with mouse embryonic segmentation, neurogenesis, and epithelial determination	369
C. Strübing, G. Ahnert-Hilger, J. Shan, B. Wiedenmann, J. Hescheler, A.M. Wobus Differentiation of pluripotent embryonic stem cells into the neuronal lineage in vitro gives rise to mature inhibitory and excitatory neurons	275	N.A. Wall, B.L.M. Hogan Expression of bone morphogenetic protein-4 (BMP-4), bone morphogenetic protein-7 (BMP-7), fibroblast growth factor-8 (FGF-8) and sonic hedgehog (SHH) during branchial arch development in the chick	383
Issue contents	289		
N.G. Fedtsova, E.E. Turner Brn-3.0 expression identifies early post-mitotic CNS neurons and sensory neural precursors	291	J. Broadus, J.B. Skeath, E.P. Spana, T. Bossing, G. Technau, C.Q. Doe New neuroblast markers and the origin of the aCC/pCC neurons in the <i>Drosophila</i> central nervous system	393
S.M. Schwarz, G.I. Gallicano, R.W. McGaughey, D.G. Capco A role for intermediate filaments in the establishment of the primitive epithelia during mammalian embryogenesis	305	T. Doniach, T.J. Musci Induction of anteroposterior neural pattern in <i>Xenopus</i> : evidence for a quantitative mechanism	403
C.E. Vanario-Alonso, E. O'Hara, W. McGinnis, L. Pick Targeted ribozymes reveal a conserved function of the <i>Drosophila paired</i> gene in sensory organ development	323	Author index	415
K. Robertson, I. Mason Expression of <i>ret</i> in the chicken embryo suggests roles in regionalisation of the vagal neural tube and somites and in development of multiple neural crest and placodal lineages	329	Subject index	417
		Volume contents	421

